

Product data sheet

Guide rail Boxer 12 mm

*



With an overall height of 12 mm and slim lever for standard rebates

AREAS OF APPLICATION

- Single leaf doors
- Integrated installation
- Installation situations with little installation space
- Right and left single-action doors
- For doors with narrow rebate

Guide rail Boxer 12 mm *



PRODUCT FEATURES

- Very small dimensions of only 12 mm height and 20 mm width
- With screwed slide block
- Geometry optimised for narrow door rebate

TECHNICAL DATA

Productname	Guide rail Boxer 12 mm *
Length	440 mm
Width	20 mm
Height	12 mm
opening restrictor upgradable	Yes
Hold-open function	Optional
Smoke switch integrated	No

VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Dimensions	Colour	Length
Guide rail Boxer 12 mm *	with tapered lever, overall height 12 mm	184365	440 x 20 x 12 mm	silver-coloured	440 mm
Guide rail Boxer 12 mm *	with tapered lever, overall height 12 mm	135732	440 x 20 x 12 mm	according to RAL	440 mm

ACCESSORIES

FLEXIBLE OPENING RESTRICTOR

for Boxer 12 mm guide rail



Designation	Description	Ident-No.
Flexible opening restrictor	for Boxer 12 mm guide rail	129343

Guide rail Boxer 12 mm *



MECHANICAL HOLD-OPEN UNIT

for Boxer 12 mm guide rail



Designation	Description	Ident-No.
Mechanical hold-open unit	for Boxer 12 mm guide rail, retention force adjustable, cannot be overridden	129145

* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.