

Product data sheet

TS 1000 C *



Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm

AREAS OF APPLICATION

- Right and left single-action doors for interior use
- Single-action doors up to 950 mm leaf width
- Door leaf installation hinge side and transom installation opposite hinge side
- Door leaf installation opposite hinge side in parallel arm installation possible

PRODUCT FEATURES

- Variable closing force of EN 2 or EN 3 by turning the bearing block around
- Can be used for right and left hand doors without conversion
- Hydraulic latching action which accelerates the door shortly before it is closed
- Closing speed can be individually adjusted

TECHNICAL DATA

Productname	TS 1000 C *
Closing force in accordance with EN 1154	EN 2/3
Leaf width (max.)	950 mm
Type of installation	Door leaf installation hinge side, Transom installation opposite hinge side, Door leaf installation opposite hinge side
Opening angle (max.)	180 °
Identical design for DIN left and DIN right	Yes
Standard conformity	EN 1154:1996/A1:2002/AC:2006
Suitability for fire protection doors	Yes
Length	215 mm
Width	44 mm
Height	52 mm
Closing force adjustable	Yes, via installation
Adjustable closing speed	Yes
Latching action adjustable	Yes, via link arm
Back check integrated	No
Position of closing force adjustment	Mounting position
Smoke switch integrated	No

VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Colour	Closing force in accordance with EN 1154	Dimensions
GEZE TS 1000 C *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	165132		EN 2/3	215 x 44 x 52 mm
GEZE TS 1000 C *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	101765	silver-coloured	EN 2/3	215 x 44 x 52 mm
GEZE TS 1000 C *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	119573	black RAL 9005	EN 2/3	215 x 44 x 52 mm
GEZE TS 1000 C *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	101767	white RAL 9016	EN 2/3	215 x 44 x 52 mm
GEZE TS 1000 C *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	101770	brass-coloured	EN 2/3	215 x 44 x 52 mm

TS 1000 C *

Designation	Description	Ident-No.	Colour	Closing force in accordance with EN 1154	Dimensions
GEZE TS 1000 C *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	101769	according to RAL	EN 2/3	215 x 44 x 52 mm
GEZE TS 1000 C *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	165070		EN 2/3	215 x 44 x 52 mm
GEZE TS 1000 C *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	101766	dark bronze	EN 2/3	215 x 44 x 52 mm
GEZE TS 1000 C *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	165210		EN 2/3	215 x 44 x 52 mm
GEZE TS 1000 C *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	165071		EN 2/3	215 x 44 x 52 mm
GEZE TS 1000 C *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	179139	silver-coloured	EN 2/3	215 x 44 x 52 mm

PART**LINK ARM TS 1500 / 1000 C**

Standard link arm



Designation	Description	Ident-No.	Colour
Link arm TS 1500/1000 C *	Standard	101882	according to RAL
Link arm TS 1500/1000 C *	Standard	101881	white RAL 9016
Link arm TS 1500/1000 C	Standard	101878	silver-coloured
Link Arm Silver TS 1000 C/1500 CN (188145) *	Standard	188145	silver-coloured

CLOSER BODY TS 1000 C *

Basic body for overhead door closer with link arm EN 2/3



TS 1000 C *



* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.