

Product data sheet

TS 1000 C with hold-open arm *



Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm

AREAS OF APPLICATION

- Right and left single-action doors
- Single-action doors up to 950 mm leaf width
- Door leaf installation hinge side and transom installation opposite hinge side
- Door leaf installation opposite hinge side in parallel arm installation possible

TS 1000 C with hold-open arm *



PRODUCT FEATURES

- Variable closing force of EN 2 or EN 3 by turning the bearing block around
- Can be used for right and left hand doors without conversion
- Hydraulic latching action which accelerates the door shortly before it is closed
- Closing speed can be individually adjusted

TECHNICAL DATA

Productname	TS 1000 C with hold-open arm *
Closing force in accordance with EN 1154	EN 2/3
Leaf width (max.)	950 mm
Type of installation	Door leaf installation hinge side, Transom installation opposite hinge side, Door leaf installation opposite hinge side
Opening angle (max.)	180 °
Identical design for DIN left and DIN right	Yes
Length	215 mm
Width	44 mm
Height	52 mm
Closing force adjustable	Yes, via installation
Adjustable closing speed	Yes
Latching action adjustable	Yes, via link arm
Back check integrated	No
Position of closing force adjustment	Mounting position
Hold-open function	Mechanical
Hold-open range	70 ° - 150 °
Smoke switch integrated	No

VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Colour	Closing force in accordance with EN 1154	Dimensions
GEZE TS 1000 C *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	101776	according to RAL	EN 2/3	215 x 44 x 52 mm
GEZE TS 1000 C *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	101772	dark bronze	EN 2/3	215 x 44 x 52 mm
TS 1000 C with hold-open arm *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	119574	black RAL 9005	EN 2/3	215 x 44 x 52 mm
GEZE TS 1000 C *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	101777	brass-coloured	EN 2/3	215 x 44 x 52 mm
GEZE TS 1000 C *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	101773	white RAL 9016	EN 2/3	215 x 44 x 52 mm

TS 1000 C with hold-open arm *

Designation	Description	Ident-No.	Colour	Closing force in accordance with EN 1154	Dimensions
GEZE TS 1000 C *	Overhead door closer with link arm for 1-leaf doors with a leaf width of up to 950 mm	101771	silver-coloured	EN 2/3	215 x 44 x 52 mm

PART**LINK ARM TS 1500 / 1000 C**

With mechanical hold-open device



Designation	Description	Ident-No.	Colour	Hold-open point min.	Hold-open point max.
Link arm TS 1500/1000 C/F	With mechanical hold-open device	101817	white RAL 9016	70 °	150 °
Link arm TS 1500/1000 C/F	With mechanical hold-open device	101815	silver-coloured	70 °	150 °
Link arm TS 1500/1000 C/F	With mechanical hold-open device	101818	according to RAL	70 °	150 °

CLOSER BODY TS 1000 C *

Basic body for overhead door closer with link arm EN 2/3



* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.