

Certificate of constancy of performance

No. 0672-CPR-0050

In compliance with *Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the

Construction Product(s) **Overhead door closer**
„GEZE TS 4000“, „GEZE TS 4000 S“ and
„GEZE TS 4000 EN 5-7“
with the classification enclosed in the annex 1 of this certificate

placed on the market
under the name or trade
mark of **GEZE GmbH**
Reinhold-Vöster-Str. 21-29
71229 Leonberg
Germany

produced in the
manufacturing plant(s) **Plant 01**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in


Annex ZA
of the standard(s) **EN 1154:1996/A1:2002/AC:2006**
under system **1**

for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on **23.10.2017** and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

This document has been translated for informative purpose only. Original version is issued in German. In any case of doubt the German version is valid.



Dr. rer. nat. Andrea Bramborg-Kramer
Deputy Head of Certification Body



Annex 1

to the certificate of constancy of performance No. 0672-CPR-0050

Classification of the overhead door closers including their associated mounting variants

GEZE TS 4000

(door leaf mounting / hinge side
[normal mounting])

EN 1154

4	8	6 1	1	1	3
---	---	--------	---	---	---

GEZE TS 4000

(transom mounting / opposite hinge side)

EN 1154

4	8	6 1	1	1	3
---	---	--------	---	---	---

GEZE TS 4000

(parallel arm mounting / opposite hinge
side)

EN 1154

3	8	5 2	1	1	3
---	---	--------	---	---	---

GEZE TS 4000 S

(door leaf mounting / hinge side
[normal mounting])

EN 1154

4	8	6 2	1	1	3
---	---	--------	---	---	---

GEZE TS 4000 S

(transom mounting / opposite hinge side)

EN 1154

4	8	6 2	1	1	3
---	---	--------	---	---	---

GEZE TS 4000 S

(parallel arm mounting / opposite hinge
side)

EN 1154

3	8	5 2	1	1	3
---	---	--------	---	---	---

GEZE TS 4000 EN 5-7

(door leaf mounting / hinge side
[normal mounting])

EN 1154

4	8	7 5	1	1	3
---	---	--------	---	---	---

GEZE TS 4000 EN 5-7

(transom mounting / opposite hinge side)

EN 1154

4	8	7 5	1	1	3
---	---	--------	---	---	---

Note: The manufacturer has to point out in the assembly and adjustment documents of the door closer, that the door closer should be at least on size 3 for use on fire/smoke door assemblies.

Stuttgart, 11.02.2026

Material Testing Institute – University of Stuttgart
Department Fire Safety
Certification Body

Bramborg-Kramer

(Dr. rer. nat. Andrea Bramborg-Kramer)
Deputy Head of the Certification Body



(Stamp)