


203830 - balcony-door lock B-TV with latch with 2 i.S. cams E92 PC BS40 silver MM L=1.347 fixed handle height

Technical drawing



						L		Nº
MM fixed handle height	silver	40	8	1.050	92	1.347	5	203830 ¹⁾

¹⁾ You will find faceplate extensions in the chapter Accessories

Screw position table

Nº											
203830	9	20	93	272	361	551	702	796	1.179	1.340	

Cam position table

Nº		Z1	Z2	
203830	2	316	750	


Product image





**203830 - balcony-door lock B-TV with latch with 2 i.S.
cams E92 PC BS40 silver MM L=1.347 fixed handle height**


Drilling and routing pattern





**203830 - balcony-door lock B-TV with latch with 2 i.S.
cams E92 PC BS40 silver MM L=1.347 fixed handle height**

Dimensions of lock case B-TV





203830 - balcony-door lock B-TV with latch with 2 i.S. cams E92 PC BS40 silver MM L=1.347 fixed handle height

Milling width for lock case B-TV at least 15.5 mm


Caution: Never open lock case!

Drill holes for handle set prior to installation of door lock.


- Not compatible with escutcheon cover sets!
- A lever handle set with handles on both inside and outside must be used.

Snap joint

Engage snap joint




Disengage snap joint





**203830 - balcony-door lock B-TV with latch with 2 i.S.
cams E92 PC BS40 silver MM L=1.347 fixed handle height**


Latch conversion





203830 - balcony-door lock B-TV with latch with 2 i.S. cams E92 PC BS40 silver MM L=1.347 fixed handle height

Hardware overviews






Technical drawing of a window frame assembly. The drawing shows a central window frame with two diagonal lines indicating the opening. Surrounding the frame are various components and their installation positions, labeled with numbers 1 through 4. The components include a main frame section (1), a side rail (2), a corner bracket (3), and a small rectangular component (4). The drawing is oriented vertically, with the window frame at the top and the components below it.



**203830 - balcony-door lock B-TV with latch with 2 i.S.
cams E92 PC BS40 silver MM L=1.347 fixed handle height**


B-TV 2-sashed end pieces





**203830 - balcony-door lock B-TV with latch with 2 i.S.
cams E92 PC BS40 silver MM L=1.347 fixed handle height**

B-TV 2-sashed French casement drive gear






203830 - balcony-door lock B-TV with latch with 2 i.S. cams E92 PC BS40 silver MM L=1.347 fixed handle height

Symbols

1. Balcony door locks B-TV
2. Faceplate extensions B-TV
3. Corner elements
4. Shootbolts
5. Reverse-action bottom end pieces with shootbolt protrusion
6. Top end pieces with shootbolt protrusion for espagnolettes
7. French casement drive gear for Eurogroove FHH

Gasket compression adjustment

i.S. locking cams and standard locking cams



Operation

Open	Shut	Lock