

Product data sheet

Flexible link arm

without accessories



For bespoke angular and arched windows and window sill
transmission

Flexible link arm without accessories



AREAS OF APPLICATION

- Can be used as a solution for mullion-frame transmissions and reveal transmissions on rectangular windows
- Reveal depths of max. 650 mm can be realised
- Segmental arch and semicircular arched windows can be realised using flexible link arms
- Can be used in combination with an OL 90 N scissor
- Installation on wooden, plastic and aluminium windows
- Frame installation and installation on the masonry

PRODUCT FEATURES

- Clean fixing to the window sill and masonry through accessories
- Can be operated with the hand lever

TECHNICAL DATA

Productname	Flexible link arm without accessories
Length	700 mm


VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Colour	Dimensions
Flexible link arm without accessories	Pull length = 700 mm	008481	brown	700 mm
Flexible link arm without accessories	Pull length = 700 mm	022718	EV1 + white RAL 9016	700 mm

ACCESSORIES

CORNER GUIDE FLEXIBLE LINK ARM

Corner guide for flexible link arm



Flexible link arm without accessories



Designation	Ident-No.	Colour	Material
Corner guide flexible link arm	030763	brown	Aluminum
Corner guide flexible link arm	030764	EV1 + white RAL 9016	Aluminum

ACCESSORIES FLEXIBLE LINK ARMS

for flexible link arm



Designation	Description	Ident-No.	Colour	Material
Accessories for flexible link arm	For special window shapes	030862	EV1 + white RAL 9016	Plastic
Accessories for flexible transmission	Accessories for flexible transmission including connector plates	030797	brown	Plastic
Accessories for flexible link arm	For special window shapes	030861	brown	Plastic
Accessories for flexible transmission	Accessories for flexible transmission including connector plates	030798	EV1 + white RAL 9016	Plastic