

414

Certifications

415

Panic exit devices

418

Outside accessories

421

Accessories for
panic exit devices

422

Schemes for doors



DESIGNED AND CERTIFIED ACCORDING TO EUROPEAN STANDARD

UNI EN 1125:2008 - ICIM 0040CS									
3	7	7	A	1	4	2	2	A	A
									



CATEGORY OF USE

3 = high frequency of use where there is little incentive to exercise care; i.e. where there is a chance of an accident occurring and of misuse



CORROSION RESISTANCE

4 = very high resistance (240 h)



DURABILITY

7 = 200.000 test cycles

ICIM Classification = 500.000 test cycles



SECURITY

2 = security requirements are secondary to those of safety



DOOR MASS

7 = Over 200 Kg

ICIM Classification = 300 Kg



PROJECTION OF HORIZONTAL BAR

2 = up to 100 mm (standard)



SUITABILITY FOR USE ON FIRE/SMOKE DOORS

A = suitable for use on smoke doors



TYPE OF HORIZONTAL BAR OPERATION

A = push bar



SAFETY

1 = top grade: all panic exit devices have a critical safety function




FIELD OF DOOR APPLICATION

A = single door, double door: active or inactive

VISIT OUR CERTIFICATION
WEB PAGE



THREE LOCKING POINTS (MODULAR)



CONSTRUCTIVE FEATURES:

Zinc-plated steel cases - Painted aluminium covers - Painted special alloy levers - Chromed special alloy latch bolt - Stainless steel springs.

WORKING:

Horizontal bar or outside accessories driven latch bolt.


PROVIDED WITH:

Side striker, nylon plugs, fixing screws, assembling instructions, templates for drilling.

COD.	Hand	Finishing		kg		
6213	Reversible	Black	RAL 9005		2,18	1 10
6213/B	Reversible	White	RAL 9010		2,18	1 10
6213/B16	Reversible	White	RAL 9016		2,18	1 10
6213/G	Reversible	Grey	RAL 7040		2,18	1 10
6213/X	Reversible	Satinized stainless steel	-		2,18	1 10
6213 DX	Right	Black	RAL 9005		1,95	1 10
6213/B DX	Right	White	RAL 9010		1,95	1 10
6213/B16 DX	Right	White	RAL 9016		1,95	1 10
6213/G DX	Right	Grey	RAL 7040		1,95	1 10
6213/X DX	Right	Satinized stainless steel	-		1,95	1 10
6213 SX	Left	Black	RAL 9005		1,95	1 10
6213/B SX	Left	White	RAL 9010		1,95	1 10
6213/B16 SX	Left	White	RAL 9016		1,95	1 10
6213/G SX	Left	Grey	RAL 7040		1,95	1 10
6213/X SX	Left	Satinized stainless steel	-		1,95	1 10



HORIZONTAL BARS

**MATERIAL:**

Painted steel.

PROVIDED WITH:

Nylon plugs.

COD.	L	Finishing					
6005 AB	1130	White	RAL 9010		1,06	10	-
6005 AB16	1130	White	RAL 9016		1,06	10	-
6005 AG	1130	Grey	RAL 7040		1,06	10	-
6005 AN	1130	Black	RAL 9005		1,06	10	-
6005 AR	1130	Red	RAL 3020		1,06	10	-
6005 AV	1130	Green	RAL 6024		1,06	10	-
6006 AB	1480	White	RAL 9010		1,32	10	-
6006 AB16	1480	White	RAL 9016		1,32	10	-
6006 AG	1480	Grey	RAL 7040		1,32	10	-
6006 AN	1480	Black	RAL 9005		1,32	10	-
6006 AR	1480	Red	RAL 3020		1,32	10	-
6006 AV	1480	Green	RAL 6024		1,32	10	-

MATERIAL:


Stainless steel.

PROVIDED WITH:

Nylon plugs.

COD.	L	Finishing					
6005 X	1130	Satinized			1,20	10	-
6006 X	1330	Satinized			1,50	10	-

TOP AND BOTTOM BOLTS KIT



CONSTRUCTIVE FEATURES:

Zinc-plated steel cases - Painted aluminium covers - Chromed special alloy latch bolts - Stainless steel springs - Zinc-plated steel rods - Painted aluminium cover rod.

APPLICATION:


Three locking points panic exit devices.

PROVIDED WITH:

Side striker, floor striker, fixing screws and fixing accessories.

COD.	Finishing			kg		
6040	Black	RAL 9005		2,22	1	-
6040/B	White	RAL 9010		2,22	1	-
6040/B16	White	RAL 9016		2,22	1	-
6040/G	Grey	RAL 7040		2,22	1	-
6040/X	Satined stainless steel			2,22	1	-

SIDE LATCHES KIT



CONSTRUCTIVE FEATURES:

Zinc-plated steel cases - Painted aluminium covers - Chromed special alloy latch bolts - Stainless steel springs - Zinc-plated steel rods - Painted aluminium cover rod.

APPLICATION:

Three locking points panic exit devices.

PROVIDED WITH:

2 side strikers, fixing screws and fixing accessories.

COD.	Finishing			kg		
6041	Black	RAL 9005		2,21	1	-
6041/B	White	RAL 9010		2,21	1	-
6041/B16	White	RAL 9016		2,21	1	-
6041/G	Grey	RAL 7040		2,21	1	-
6041/X	Satined stainless steel			2,21	1	-



OUTSIDE ACCESSORIES

OUTSIDE PLATE WITH HANDLE AND CYLINDER



CONSTRUCTIVE FEATURES:


Painted special alloy case and handle - Zinc and plastic plated steel cover - Nickel-plated brass cylinder.

WORKING:

Door opened by the handle - Handle interlock is controlled by the key (blocked handle).

PROVIDED WITH:

3 keys, fixing screws, assembling instructions, template for drilling.



COD.			Finishing			
6011	121/04 L	105/05	Black RAL 9005		1,00	1 -
6011/B	121/04 L	105/05	White RAL 9010		1,00	1 -
6011/B16	121/04 L	105/05	White RAL 9016		1,00	1 -
6011/G	121/04 L	105/05	Grey RAL 7040		1,00	1 -
6011/X	121/04 L	105/05	Satined stainless steel		1,00	1 -

OUTSIDE PLATE WITH FREE HANDLE AND CYLINDER



CONSTRUCTIVE FEATURES:


Painted special alloy case and handle - Zinc and plastic plated steel cover - Nickel-plated brass cylinder.

WORKING:

Door opened by the handle - Handle interlock is controlled by the key (free handle).

PROVIDED WITH:

3 keys, fixing screws, assembling instructions, template for drilling.



COD.			Finishing			
6012	121/04 L	105/05	Black RAL 9005		0,99	1 -
6012/B	121/04 L	105/05	White RAL 9010		0,99	1 -
6012/B16	121/04 L	105/05	White RAL 9016		0,99	1 -
6012/G	121/04 L	105/05	Grey RAL 7040		0,99	1 -
6012/X	121/04 L	105/05	Satined stainless steel		0,99	1 -

OUTSIDE PLATE WITH HANDLE AND FLAT KEY CYLINDER



CONSTRUCTIVE FEATURES:


Painted special alloy case and handle - Zinc and plastic plated steel cover - Nickel-plated brass cylinder.

WORKING:

Door opened by the handle - Handle interlock is controlled by the key (blocked handle).

PROVIDED WITH:

3 keys, fixing screws, assembling instructions, template for drilling.



COD.			Finishing			
6013	2121/04 L	2020/06	Black RAL 9005		1,02	1 -
6013/B	2121/04 L	2020/06	White RAL 9010		1,02	1 -
6013/B16	2121/04 L	2020/06	White RAL 9016		1,02	1 -
6013/G	2121/04 L	2020/06	Grey RAL 7040		1,02	1 -
6013/X	2121/04 L	2020/06	Satined stainless steel		1,02	1 -

OUTSIDE PLATE WITH FREE HANDLE AND FLAT KEY CYLINDER



CONSTRUCTIVE FEATURES:


Painted special alloy case and handle - Zinc and plastic plated steel cover - Nickel-plated brass cylinder.

WORKING:

Door opened by the handle - Handle interlock is controlled by the key (free handle).


PROVIDED WITH:

3 keys, fixing screws, assembling instructions, template for drilling.



COD.			Finishing			
6014	2121/04 L	2020/06	Black RAL 9005		1,01	1 -
6014/B	2121/04 L	2020/06	White RAL 9010		1,01	1 -
6014/B16	2121/04 L	2020/06	White RAL 9016		1,01	1 -
6014/G	2121/04 L	2020/06	Grey RAL 7040		1,01	1 -
6014/X	2121/04 L	2020/06	Satined stainless steel		1,01	1 -



HALF CYLINDER Standard key
**CONSTRUCTIVE FEATURES:**

High resistance aluminium body - Easy entrance key nickel-plated brass plug - Stainless steel pins and drivers - Stainless steel springs - Steel off center 30° DIN cam - Nickel-plated brass keys.

WORKING:

Turn the key 360°.

PROVIDED WITH:


3 keys.

ON REQUEST:

Special keying systems KA-MK-GMK-CL

COD.	L	A	B					
121/04 L*	40	30	10	5	105/05	0,10	1	10
121/12 L	97	87	10	5	105/05	0,17	1	5
121/13 L	107	97	10	5	105/05	0,18	1	5
121/24 L	70	60	10	5	105/05	0,14	1	10
121/26 L	80	70	10	5	105/05	0,14	1	10

*For outside plates cod. 6011 - 6012

HALF CYLINDER Standard key
**CONSTRUCTIVE FEATURES:**

High resistance aluminium body - Easy entrance key nickel-plated brass plug - Stainless steel pins and drivers - Stainless steel springs - Steel off center 30° DIN cam - Silver nickel reversible flat keys with code number.

WORKING:

Turn the key 360°.

PROVIDED WITH:

3 keys.

ON REQUEST:


Special keying systems KA-MK-GMK-CL

COD.	L	A	B					
2121/04 L*	40	30	10	6	2020/06	0,11	1	10
2121/24 L	70	60	10	6	2020/06	0,18	1	10
2121/26 L	80	70	10	6	2020/06	0,20	1	10
2121/27 L	90	80	10	6	2020/06	0,22	1	5

*For outside plates cod. 6013 - 6014


ACCESSORIES FOR PANIC EXIT DEVICES

LONG ROD FOR LOCKING KIT




COD.	Material			
AST006.0	Zinc-plated steel	0,231	10	-

SIDE STRIKER




COD.	Material			
ANY117.0	Black painted special alloy	0,085	10	-
ANY118.0	Chromed special alloy	0,085	10	-

LONG COVER ROD




COD.	Material				
AST016.0	Black alluminium	RAL 9005	0,224	10	-
AST022.0	White alluminium	RAL 9010	0,224	10	-
AST025.0	Grey alluminium	RAL 7040	0,224	10	-
AST052.0	Satinized alluminium	-	0,224	10	-
AST055.0	White alluminium	RAL 9016	0,224	10	-

FLOOR STRIKER



COD.	Material			
ANY119.0	Black painted special alloy	0,055	10	-
ANY120.0	Chromed special alloy	0,055	10	-

PROLONGATION KIT FOR DEVIATORS




For doors high up to 3000 mm


COD.	Material				
6032	Black	RAL 9005	0,650	5	-
6032/B	White	RAL 9010	0,650	5	-
6032/B16	White	RAL 9016	0,650	5	-
6032/G	Grey	RAL 7040	0,650	5	-
6032/X	Satinized stainless steel	-	0,650	5	-



ONE LOCKING POINT




6213
6213 DX




6213
6213 SX


TWO LOCKING POINTS




6213 + 6040
6213 DX + 6040



6213 + 6040
6213 SX + 6040




6213 + 6041
6213 DX + 6041




6213 + 6041
6213 SX + 6041


THREE LOCKING POINTS




6213 + 6040
6213 DX + 6040




6213 + 6040
6213 SX + 6040




6213 + 6041
6213 DX + 6041



6213 + 6041
6213 SX + 6041




THREE LOCKING POINTS



6213 + 6040
6213 DX + 6040

6213
6213 SX


FOUR LOCKING POINTS



6213 + 6040
6213 DX + 6040


6213 + 6041
6213 SX + 6041

FIVE LOCKING POINTS



6213 + 6040
6213 DX + 6040

6213 + 6041
6213 SX + 6041



6213 + 6040
6213 DX + 6040

6213 + 6041
6213 SX + 6041

